

# Cobble Modular

S E R I E S



300X300MM | 150X300MM | 450X300MM

introducing

# Cobble Modular

S E R I E S

Discover the raw elegance of the **Cobble Modular Series** from **Mitco**, where the timeless beauty of weathered rock formations meets cutting-edge innovation. These tiles are designed to capture the rugged splendor of natural terrains, with a surface that evokes the aged, weathered rock textures. Each piece in the collection offers unparalleled durability and a distinctive aesthetic that mirrors the weather-beaten charm of the natural world.



15MM

300X300MM | 150X300MM | 450X300MM


# Benefits

OF COBBLE MODULAR SERIES




## Resistant to Thermal Shock

Won't break due to gradual or sudden temperature changes (-400F – 2100F).



## Cost-Over-Life Savings

With a 60+ year life expectancy, our pavers provide a low life cycle cost analysis.



## UV Resistant and Colorfast

Won't fade from UV exposure, retains original color over product life.



## Made from Natural Raw Materials

Sourced locally within 500mi of our production facility, lowering our carbon footprint.



## Resists Microbial Growth and Damage

Unaffected by moss, mold, and verdigris.



## Available in a Broad Range of Styles

Styles range from stone, concrete, or wood looks in a variety of sizes.



## Unmatched Durability

Stronger and more resilient than any alternative paving solution.



## Scratch and Stain Resistant

Scratch and stain resistant, outdoor porcelain pavers can handle high traffic areas.



## Virtually No Maintenance

Once installed, pavers require minimal upkeep and are easy to replace.



## Frost Resistant

Unaffected by frost or freezing since our pavers don't absorb water.




## Easy to Clean and Sanitize

No harsh chemicals needed to clean, nonporous material is resistant to stains.



## Slip Resistant and Quick Draining

Perfect for pool decks, terraces, or even simple garden paths.



## VOC. Free

Emits 0 VOCs to protect occupants and environmental health.



## Versatile Installation Applications

Install over grass or gravel, mortared in or simply laid on the ground.



## Easy To Install

Requires minimal materials and effort to install nearly anywhere.



**Mohs scale 4**



**Pi Value 3**






# Cobble Modular

S E R I E S



PREVIEW OF  
**CENERE IVORY**



# CENERE IVORY



Anti-Fall Surface



450X  
300MM



300X  
300MM




150X  
300MM

15MM




*Cobble Modular*  
S E R I E S



PREVIEW OF  
**COLUMBIA GREY**





# COLUMBIA GREY



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



PREVIEW OF  
**DERMA GREY**



## *Cobble Modular* S E R I E S





# DERMA GREY



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
**DURANGO ASH**






# DURANGO ASH



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



PREVIEW OF  
**DURANGO COTTO**



## *Cobble Modular* S E R I E S






# DURANGO COTTO



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
**ELEGANTE BROWN**





# ELEGANTE BROWN



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
**GABBRO COTTO**





# GABBRO COTTO




Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
**JUPITER BLACK**





# JUPITER BLACK



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



PREVIEW OF  
**JUPITER GREY**



## *Cobble Modular* S E R I E S





# JUPITER GREY



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM


15MM



PREVIEW OF  
**METASTONE AMBER**



## *Cobble Modular* S E R I E S





# METASTONE AMBER



Anti-Fall Surface



450X  
300MM



300X  
300MM



150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
METASTONE BRICK





# METASTONE BRICK



Anti-Fall Surface



450X  
300MM



300X  
300MM




150X  
300MM

15MM



*Cobble Modular*  
S E R I E S



PREVIEW OF  
**QUARTZ GRAY**





# QUARTZ GRAY



Anti-Fall Surface



450X  
300MM



300X  
300MM




150X  
300MM

15MM


# LAYOUT-01

for 9 sq.ft (approx)





# LAYOUT-02

for 7.5 sq.ft (approx)




# LAYOUT-03


for 9 sq.ft (approx)



PREVIEW FOR 36 SQFT ( APPROX )




PREVIEW FOR 30 SQFT ( APPROX )



PREVIEW FOR 36 SQFT ( APPROX )


## LAYOUT-04

for 10.5 sq.ft (approx)





## LAYOUT-05

for 12 sq.ft (approx)




## LAYOUT-06


for 7.5 sq.ft (approx)



PREVIEW FOR 42 SQFT ( APPROX )



PREVIEW FOR 48 SQFT ( APPROX )



PREVIEW FOR 30 SQFT ( APPROX )

# PACKAGING SPECIFICATIONS

---

BODY : **VITRIFIED BODY**  
RECTIFICATION : **NON-RECTIFIED**

SIZES	THICKNESS (MM)	PIECE PER BOX	WEIGHT PER BOX (APPROX)	SQM PER BOX (APPROX)	SQFT PER BOX (APPROX)
300X300MM-2PCS	15 MM	6 PCS	18 KG	0.56 SQM	6 SQFT
150X300MM-2PCS					
450X300MM-2PCS					

\*WEIGHT PER PALLET DOES NOT INCLUDE PALLET WEIGHT ITSELF. All other sizes will be packaged as ordered. Please contact Mitco Customer Service for packaging information. Minimum grout size recommended = 5 mm (or approx. 3/16") If staggered tile placement, we recommend using a 30% offset. If specified brick pattern with 1/2 pattern mandatory, a bigger grout is recommended to hide imperfections of installation (minimum 1/4").



**ES**

**ELEGANT STONE**  
**SURFACE LLP**