

ES
ELEGANT STONE
SURFACE LLP

ES
ELEGANT STONE
SURFACE LLP


CRAFTED TO DEFINE
modern elegance.



75 X 300 MM

CRACKLE
SERIES


SIMPLICITY
THAT STANDS OUT.
 TIMELESS ELEGANCE



-  Chemical Resistance
-  Heat & Fire Resistance
-  Abrasion Resistance
-  High Tensile Strength
-  Environment Friendly

ABOUT US

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin literature from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, consectetur, from a Lorem Ipsum passage, and going through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of "de Finibus Bonorum et Malorum" (The Extremes of Good and Evil) by Cicero, written in 45 BC. This book is a treatise on the theory of ethics, very popular during the Renaissance. The first line of Lorem Ipsum, "Lorem ipsum dolor sit amet..", comes from a line in section 1.10.32.



THICKNESS
10 MM

SURFACE
GLOSSY

FORMAT
75X300MM

DARK
EMRALAD

FORMAT
100X300MM

SURFACE
GLOSSY

THICKNESS
10 MM

PUNCH
BUMPY






LIGHT
EMRALAD

FORMAT
65X260MM

SURFACE
GLOSSY

THICKNESS
10 MM

PUNCH
FLOW






DARK
EMRALAD

FORMAT
65X260MM

SURFACE
GLOSSY

THICKNESS
10 MM

PUNCH
FLOW







**DARK
AMBER**

FORMAT
65X260MM

SURFACE
GLOSSY

THICKNESS
10 MM

PUNCH
FLOW



Chemical
Resistance



Heat & Fire
Resistance



Abrasion
Resistance



High Tensile
Strength



Environment
Friendly



ZEN CRACKLE
LIGHT

FORMAT
75X300MM

SURFACE
GLOSSY


THICKNESS
10 MM





ZEN CRACKLE
DARK

FORMAT **75X300MM** | SURFACE **GLOSSY** | THICKNESS **10 MM**





BOSCH





ES
ELEGANT STONE
SURFACE LLP

CRACKLE
SERIES

WENDO
LIGHT EMRALAD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM




Chemical
Resistance


Heat & Fire
Resistance


Abrasion
Resistance


High Tensile
Strength


Environment
Friendly






WENDO
DARK EMRALAD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM



Chemical
Resistance



Heat & Fire
Resistance



Abrasion
Resistance



High Tensile
Strength



Environment
Friendly



FRENDI
LIGHT EMERALD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM



-  Chemical Resistance
-  Heat & Fire Resistance
-  Abrasion Resistance
-  High Tensile Strength
-  Environment Friendly






FRENDI
DARK EMERALD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM



-  Chemical Resistance
-  Heat & Fire Resistance
-  Abrasion Resistance
-  High Tensile Strength
-  Environment Friendly







RIBBED
LIGHT EMRALAD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM




Chemical
Resistance


Heat & Fire
Resistance


Abrasion
Resistance


High Tensile
Strength


Environment
Friendly




ROSE OLIVIER
SAVON DOUX
SHOWER GEL

ROSE OLIVIER
SAVON DOUX
SHOWER GEL

Bath

Bath



ES
ELEGANT STONE
SURFACE LLP

CRACKLE
SERIES

RIBBED
LIGHT EMRALAD

FORMAT
75X300MM

SURFACE
GLOSSY

THICKNESS
10 MM




Chemical
Resistance


Heat & Fire
Resistance


Abrasion
Resistance


High Tensile
Strength


Environment
Friendly





LIGHT
AMBER

FORMAT
65X260MM

SURFACE
GLOSSY

THICKNESS
10 MM

PUNCH
FLOW



Chemical
Resistance



Heat & Fire
Resistance



Abrasion
Resistance



High Tensile
Strength



Environment
Friendly

